What is claimed is:

- 1. An access request processing method for use in a
- 2 service provision device providing services in response to
- 3 user requests, the access request processing method
- 4 comprising:
- administrating information related to statuses of the
- 6 users;
- 5 storing users requesting the services, content of the
- 8 requested services, and status of users related to the
- 9 requested services, correlatively with processes for the
- 10 service requests; and
- when a service request has been made by a one user,
- obtaining the statuses of other users related to the
- 13 requested service, and based on the one user who requested a
- 14 service, on the other users related to the requested
- 15 service, and on the obtained user status, determining a
- 16 process for the service request.
- 2. An access request processing method for use in a
- 2 communication device providing inter-user communication, the
- 3 access request processing method comprising:
- 4 storing statuses of the users;
- 5 preparing a processing policy in which processes for
- 6 communication requests are set for each of the users, the
- 7 processes each in turn being according to a one user from

- 8 whom there is a request for communication with another user,
- 9 to status of the other user with whom communication is
- 10 requested, and to content of the requested communication;
- 11 and
- when a request for communication occurs, determining
- and reporting to the communication device a process for the
- 14 request based, in the policy, on the user with whom
- 15 communication is requested.
- 3. An access request processing system for use in a
- 2 communication device providing communication among user
- 3 terminals on a network, the access request processing system
- 4 comprising:
- first storing means for storing information related to
- 6 users;
- second storing means for storing statuses of the users;
- third storing means for storing a processing policy in
- 9 which processes for communication requests are set for each
- of the users, the processes each in turn being according to
- 11 a one user from whom there is a request for communication
- 12 with another user, to status of the other user with whom
- 13 communication is requested, and to content of the requested
- 14 communication;
- authentication means for verifying, when a request for
- 16 communication occurs, the communication requester;

- liaising means for acquiring from the communication

 device the communication requester and requestee, as well as

 content of the communication;
- determining means for determining and reporting to the communication device a process for the request, by obtaining
- one of the processes in the policy based on the requestee
- 23 and the content of the communication acquired by said
- 24 liaising means, and consulting status of the requestee and
- 25 information related to the requester, based on result of the
- verification by said authentication means and on the
- obtained processing policy;
- an information recording means for accepting input of
- 29 recording in said first storing means the information
- 30 related to users;
- a status recording means for accepting input of and
- 32 recording in said second storing means the statuses of the
- 33 users; and
- a policy recording means for accepting input of and
- 35 recording in said third storing means the processing policy.
- 4. An access request processing device for use in a
- 2 communication device providing communication among user
- 3 terminals on a network, the access request processing device
- 4 comprising:
- first storing means for storing information related to
- 6 users;

other user;

second storing means for storing statuses of the users; 7 third storing means for storing a processing policy in 8 which processes for communication requests are set for each 9 of the users, the processes each in turn being according to 10 a one user who requests communication with another user, to 11 status of the other user with whom communication is 12 requested, and to content of the requested communication; 13 authentication means for verifying, when a request for 14 communication occurs, the communication requester; 15 liaising means for acquiring from the communication 16 device the communication requester and requestee, as well as 17 content of the communication; and 18 determining means for determining and reporting to the 19 communication device a process for the request, by obtaining 20 one of the processes in the policy based on the requestee 21 and the content of the communication acquired by said 22 liaising means, and consulting status of the requestee and 23 information related to the requester, based on result of the 24 verification and on the obtained processing policy. 25 5. An access request processing device according to 1 claim 4, wherein: 2 said third storing means further stores an attribute-3 assigning policy in which an attribute of the one user who 4 requests communication with the other user is set for the 5

- said determining means based on the obtained processing
- 8 policy further consults the attribute-assigning policy, in
- 9 addition to status of the requestee and information related
- 10 to the requester, to determine the process for the request
- and to report the process to the communication device.
- 6. An access request processing device according to
- 2 claim 4, further having an inquiry means for inquiring among
- 3 communication requestee terminals, according to the process
- 4 determined by the determining means, whether to permit the
- 5 communication request, and for obtaining a reply to the
- 6 inquiry.
- 7. An access request processing device according to
- 2 claim 4, further comprising a request instructing means for,
- 3 if information content related to the requester in order to
- 4 handle the communication request is not recorded in said
- 5 first storing means, making an obtain request for the
- 6 information among the requester terminals and obtaining a
- 7 reply.
- 8. An access request processing device according to
- 2 claim 4, being connected to a peripheral information-
- 3 providing means storing information related to the users,
- 4 further comprising an information obtaining means for
- 5 obtaining information related to the requester from the
- 6 peripheral information-providing means if information
- 7 content related to the requester in order to handle the

- 8 communication request is not recorded in said first storing
- means.
- 9. An access rights setting device for use in a
- 2 communication device for inter-communication among other
- 3 communication devices via a relay terminal, the access
- 4 rights setting device comprising:
- an information recording means for accepting input of
- 6 information related to users and recording the information
- 7 in the relay terminal;
- 8 a status recording means for accepting input of status
- 9 on the users and recording the statuses in the relay
- 10 terminal; and
- a policy recording means for accepting input of, and
- 12 recording in the relay terminal, a processing policy in
- which processes for communication requests are set for each
- of the users, the processes each in turn being according to
- 15 a one user from whom there is a request for communication
- 16 with another user, to status of the other user with whom
- 17 communication is requested, and to content of the requested
- 18 communication.
- 10. An access rights setting device according to claim
- 2 9, wherein said policy recording means further accepts input
- of, and records in the relay terminal, an attribute-
- 4 assigning policy in which an attribute of the one user who

- requests communication with the other user is set for the other user.
- 11. An access rights setting device according to claim
- 9, further having a replying means for reporting to the
- 3 users inquiries from the relay terminal whether to permit
- 4 requested communications, and for accepting and sending to
- 5 the relay terminal user replies to the inquiries.
- 1 12. A computer-readable recording medium storing an
 - access request processing program for use in communication
- 3 devices providing communication among user terminals on a
- 4 network, the computer-readable recording medium storing an
- 5 access request processing program for executing:
- (A)a step of storing information related to users;
- 7 (B)a step of storing statuses of all the users;
- (C)a step of storing a processing policy in which
- processes for communication requests are set for
- each of the users, the processes each in turn being
- according to a one user from whom there is a request
- for communication with another user, to status of
- the other user with whom communication is requested,
- and to content of the requested communication;
- (D) a step of verifying, when a request for
- communication occurs, the communication requester;

21

22

23

24

25

26

27

1

2

4

5

6

L7	(E)a step of acquiring from the communication device
18	the communication requester and requestee, as well
19	as content of the communication;

- (F)a step of determining a process for the request by obtaining one of the processes in the policy based on the acquired requestee and the content of the communication, and consulting status of the requestee and information related to the requester, based on result of the verification in said step (D) and on the obtained processing policy; and
- (G)a step of reporting the determined process to the communication device.
- 13. A computer-readable recording medium storing an access rights setting program for use in a communication device for inter-communication among other communication devices via a relay terminal, the computer-readable recording medium storing an access rights setting program for executing:
- (A)a step of accepting input of information related to users and recording the information in the relay terminal;
- 10 (B)a step of accepting input of status on the users and 11 recording the statuses in the relay terminal; and
- (C)a step of accepting input of, and recording in the relay terminal, a processing policy in which

processes for communication requests are set, the

processes each in turn being according to a one user

from whom there is a request for communication with

another user, to status of the other user with whom

communication is requested, and to content of the

requested communication.

- 14. An access request processing method for use in an
- 2 information providing device providing information to
- 3 peripheral information terminals in response to requests,
- 4 the access request processing method comprising:
- storing per information item user statuses related to
- 6 the information;
- 7 preparing a processing policy in which processes for
- 8 information requests are set per information item, the
- 9 processes each in turn being according to a one user who
- 10 requests information, to status of another user related to
- the information, and to the information the request targets;
- when a request for any of the information items occurs,
- 13 determining and reporting to the information providing
- 14 device a process for the request based on the processing
- policy for the information the request targets.
- 1 15. An access request processing system for use in an
- 2 information providing device providing information to
- 3 peripheral information terminals in response to requests,
- 4 the access request processing system comprising:

21

- first storing means for storing information related to 5 requesters requesting the information; 6
- second storing means for storing statuses of users 7 related to the information the requests target; 8
- third storing means for storing a processing policy in 9 which processes for information requests are set for each of 10
- the users, the processes being according to information 11
- requesters, to statuses of the users related to the 12
- information, and to the information the requests target; 13
- authentication means for verifying, when an information 14
- provision request occurs, the information provision 15
- requester; 16
- liaising means for acquiring from the information 17 providing device the requester and the information the 18 request targets;
- determining means for determining and reporting to the 20 information providing device a process for the request, by
- obtaining one of the processes in the policy based on the 22
- information the request targets acquired by said liaising 23
- means, and consulting information related to the requester 24
- and status of the user related to the information the 25
- request targets, based on the result of requester 26
- verification by said authentication means and on the 27
- obtained processing policy; 28

- an information recording means for accepting input of
- 30 and recording in said first storing means the information
- 31 related to the requester;
- a status recording means for accepting input of and
- 33 recording in said second storing means the status of the
- 34 user related to the information; and
- a policy recording means for accepting input of and
- 36 recording in said third storing means the processing policy
- 37 settings.
- 16. An access request processing device for use in an
- 2 information providing device providing information to
- 3 peripheral information terminals in response to requests,
- 4 the access request processing device comprising:
- first storing means for storing information related to
- 6 requesters requesting the information;
- 7 second storing means for storing statuses of users
- 8 related to the information the requests target;
- 9 third storing means for storing a processing policy in
- which processes for information requests are set for each of
- 11 the users, the processes being according to information
- 12 requesters, to statuses of the users related to the
- information, and to the information the requests target;
- authentication means for verifying, when an information
- provision request occurs, the information provision
- 16 requester;

- liaising means for acquiring from the information providing device the requester and the information the
- 19 request targets;
- determining means for determining and reporting to the
- 21 information providing device a process for the request, by
- obtaining one of the processes in the policy based on the
- 23 information the request targets acquired by said liaising
- 24 means, and consulting information related to the requester
- and status of the user related to the information the
- 26 request targets, based on the result of requester
- verification by said authentication means and on the
- 28 obtained processing policy.
 - 17. An access rights setting device for use in an
- 2 information terminal connected via a network to an
- 3 information providing device providing information to
- 4 peripheral information terminals in response to requests,
- 5 the access rights setting device comprising:
- an information recording means for accepting input of
- 7 and sending to the information providing terminal,
- 8 information related to users requesting provision of the
- 9 information;
- a status recording means for accepting input of and
- sending to the information providing device, status of users
- 12 related to the information; and

18

13	a policy recording means for accepting settings for and
14	sending to the information providing device, a policy in
15	which processes for information requests are set for each
16	information item, the processes being according to
17	information requesters, to statuses of the users related to
18	the information, and to the information the requests target.
1	18. A computer-readable medium storing an access
2	request processing program for use in an information
3	providing device providing information to peripheral
4	information terminals in response to requests, the computer-
5	readable medium storing an access request processing program
6	for executing:
7	(A)a step of storing information related to requesters
8	requesting the information;
9	(B)a step of storing statuses of users related to the
10	information the requests target;
11	(C)a step of storing a processing policy in which
12	processes for information requests are set for each
13	of the users, the processes being according to
14	information requesters, to statuses of the users
15	related to the information, and to the information
16	the requests target;

(D)a step of verifying, when an information provision request occurs, the information provision requester;

23

24

25

26

27

28

29

30

31

32

33

1

2

4

5

6

19	(氏)a step of acquiring from the information providing
20	device the requester and the information the request
21	targets;

- (F)a step of determining and reporting to the information providing device a process for the request, by obtaining one of the processes in the policy based on the information the request targets acquired in said step (E), and consulting information related to the requester and status of the user related to the information the request targets, based on the result of requester verification in said step (D) and on the obtained processing policy; and
 - (G)a step of reporting to the information providing device the process determined in said step (F).
- 19. A computer-readable medium storing an access rights setting program for use in an information terminal connected via a network to an information providing device providing information to peripheral information terminals in response to requests, the computer-readable medium storing an access
- (A)a step of accepting input of and sending to the information providing terminal, information related to users requesting provision of the information;

rights setting program for executing:

- 10 (B)a step of accepting input of and sending to the
 11 information providing device, status of users
 12 related to the information; and
 - (C)a step of accepting settings for and sending to the information providing device, a policy in which processes for information requests are set for each information item, the processes being according to information requesters, to statuses of the users related to the information, and to the information the requests target.